

BULAND

3

COSMOS

TM



INTERNATIONAL

ADDRESS-JASPAL BANGAR ROAD NEAR KHUSHI KANTA

LUDHIANA PUNJAB



- **MANUFACTURING OF ROTAVATOR SPARE PARTS**
- **MANUFACTURING OF TROLLEY COUPLINGS**
- **TRADING OF NUT,BOLTS AND WASHER**



 **MR H.S RAJPAL**
6260125336

 **MR TUSHAR RAJPAL**
8556877000

 cosmosinternational2021@gmail.com

SISTER CONCERN FIRM
HYDRAULIC

INDIA

LUDHIANA PUNJAB

ABOUT OUS



MR H.S RAJPAL

WORK EXPERIENCE

(EXPERIENCE IN MARKETING OF TRACTOR PARTS AND AGRICULTURE FOR MORE THAN 42 YEARS)

MR TUSHAR RAJPAL

WORK EXPERIENCE

(PRODUCT QUALITY PARAMETERS, PACKAGING DESIGNS , PRODUCT DEVELOPMENT ,PRODUCTION , MANPOWER MANAGEMRNT AND MARKETING)


COSMOS INTERNATIONAL STARTED IN THE YEAR 2021 IN LUDHIANA (P.B) INITIALLY STARTED WITH MANUFACTURING UNIVERSAL JOINT CROSS FOR ROTAVATOR .AFTER THAT WE ARE GOING STEP BY STEP IN MANUFACTURING EVERY SPARE PARTS WHICH ARE USED IN ROTAVATORS AND TRACTOR TROLLEY HYDRAULIC COUPLINGS.OUR MAIN FOCUS TO SERVE OUR BEST QUALITY PRODUCTS WITH BEST PRICE AND COMPLETE RANGE OF PRODUCTS .WE HAVE ALL THE CHECKING EQUIPMENTS WHICH ARE USED TO CHECK MATERIAL ACCORDING TO OEM WE HAVE LAB AND INSTRUMENT FOR CHECKING FOR ENSURING THAT OUR CUSTOMER GETS BEST QUALITY PRODUCTS

TESTING /LAB ROOM



HARDNESS TESTING OF UJ CROSS .EVERY SINGLE PCS OF HARDNESS IN HRC HAVE BEEN CHECKED DURING PRODUCTION WITH THE HARDNESS RANGE 58-63 HRC OEM STANDARD FOR UJ CROSS.

Tushar Rajpal



HARDNESS TESTING OF UJ CROSS CUP .EVERY SINGLE PCS OF HARDNESS IN HRC HAVE BEEN CHECKED DURING PRODUCTION WITH THE HARDNESS RANGE 55-58 HRC OEM STANDARD FOR UJ CROSS CUP.

Tushar Rajpal



OUTNESS CHECKING OF UJ CROSS BODY UNDER THE RANGE OF 50 MICRONS ACCORDIMNG TO OEM STANDARD EACH SIDE RAO AND SYMETARY VALUE OF BODY SHOULD BE UNDER 50 MICRONS

Tushar Rajpal



PRODUCT LIST



1	  	BULAND UJ CROSS WITH 8 LOCKS AND M10MMX1MM 45 DEGREE GREASE NIPPLE WITH HIGH TEMPERATURE GREASE AND EN31 ROLLERS	SIZE 38.05MMX102.4MM
2	  	BULAND 4 SIDE NIPPLE UJ CROSS WITH 8 LOCKS AND M10MMX1MM 45 DEGREE GREASE NIPPLE WITH HIGH TEMPERATURE GREASE AND EN31 ROLLERS	SIZE 38.05MMX102.4MM
3	  	TVX UJ CROSS WITH 8 LOCKS AND M10MMX1MM 45 DEGREE GREASE NIPPLE WITH HIGH TEMPERATURE GREASE AND EN31 ROLLERS	SIZE 38.05MMX102.4MM
4	  	TVX COPPER ALLOY UJ CROSS WITH 8 LOCKS AND M10MMX1MM 45 DEGREE GREASE NIPPLE WITH HIGH TEMPERATURE GREASE AND EN31 ROLLERS	SIZE 38.05MMX102.4MM
5	  	BULAND GOLD UJ CROSS WITH 8 LOCKS AND (M8X1MM 45 DEGREE CHECKNUT TYPE) GREASE NIPPLE WITH HIGH TEMPERATURE GREASE AND 52100 GRADE ROLLERS	SIZE 38.05MMX102.4MM
6	  	BULAND GREASLESS UJ CROSS WITH 8 LOCKS AND WITH HIGH TEMPERATURE GREASE AND EN31 ROLLERS	SIZE 38.05MMX102.4MM
7	  	BULAND MINI ROTAVATOR CROSS WITH 4 LOCKS AND M10X1MM 45 DEGREE GREASE NIPPLE WITH HIGH TEMPERATURE GREASE AND EN31 ROLLERS	SIZE 30.05MMX81.60MM
8	 	CROSS CUP 38.05MM WITH EN31 ROLLERS AND OIL SEAL FITTED	CUP SIZE 38.05MM

**BULAND
3**





PRODUCT LIST



9	MEDIUM WEIGHT  WEIGHT-2.200KG	HEAVY WEIGHT  WEIGHT-2.400KG	6 TEETH INNER LOCK YOKE	FORGED WITH EN-8 D STEEL
10	MEDIUM WEIGHT  WEIGHT-2.500KG	HEAVY WEIGHT  WEIGHT-2.800KG	6 TEETH OUTER LOCK YOKE	FORGED WITH EN-8 D STEEL
11	21 TEETH YOKE  WEIGHT-2.500KG	10 TEETH YOKE  WEIGHT-1.950KG	1- 21 TEETH HEAVY YOKE 2-10 TEETH HEAVY YOKE	FORGED WITH EN-8 D STEEL
12	TRIANGLE INNER BIG HOLE  WEIGHT-1.900KG	TRIANGLE INNER SMALL HOLE  WEIGHT-2.180KG	1- TRIANGLE INNER BIG HOLE YOKE 2- TRIANGLE INNER SMALL HOLE YOKE	FORGED WITH EN-8 D STEEL
13	TRIANGLE OUTER BIG HOLE  WEIGHT-2.000kg	TRIANGLE OUTER SMALL HOLE  WEIGHT-2.200KG	1- TRIANGLE OUTER BIG HOLE YOKE 2- TRIANGLE OUTER SMALL HOLE YOKE	FORGED WITH EN-8 D STEEL
14	PLAIN YOKE 1.5" 35MM BORE  WEIGHT-2.000kg	PLAIN YOKE 1.5" SOLID BORE  WEIGHT-1.900KG	1- PLAIN YOKE 1.5" 35MM BORE 2- PLAIN YOKE 1.5" SOLID BORE	FORGED WITH EN-8 D STEEL
15	SHEARING BOLT YOKE  WEIGHT-4.550kg	SHEARING BOLT YOKE UPPER  HUB ROUTER	1- SHEARING BOLT YOKE COMPLETE 2- SHEARING BOLT YOKE UPPER 38MM 3- HUB ROUTER SHEARING LOWER 38MM	SUITABLE FOR SHAKTIMAN SONALIKA
16	MINI 6 TEETH YOKE  WEIGHT-1.550kg	MINI SHEARING YOKE  WEIGHT-	1- MINI 6 TEETH YOKE 2- MINI SHEARING BOLT YOKE	SUITABLE FOR MINI ROTAVATOR

BULAND
3





PRODUCT LIST




17	TRIANGLE MINI BIG HOLE  WEIGHT-2.000kg	TRIANGLE MINI SMALL HOLE  WEIGHT-2.000kg	1- TRIANGLE MINI OUTER BIG HOLE YOKE 2- TRIANGLE MINI OUTER SMALL HOLE YOKE	FORGED WITH EN-8 D STEELL
18			1- INNER LOCK YOKE SET (6 TEETH INNER YOKE + TRIANGLE YOKE INNER LOCK + CROSS) (TRACTOR END) 2- INNER LOCK YOKE SET (6 TEETH INNER YOKE + 1.5 INCH BORE TYPE + CROSS) (TRACTOR END)	CROSS SIZE 38.05MMX102.4MM BOTH SET FOR SONALIKA
19			1- OUTER LOCK YOKE SET (SHEARING BOLT YOKE + TRIANGLE YOKE OUTER LOCK + CROSS) (ROTAVATOR END) 2- OUTER LOCK YOKE SET (6 TEETH OUTER LOCK YOKE + TRIANGLE OUTER YOKE + CROSS) (TRACTOR END)	CROSS SIZE 38.05MMX102.4MM BOTH SET FOR SHAKTIMAN
20			1- INNER LOCK YOKE SET (SHEARING BOLT YOKE + TRIANGLE YOKE INNER LOCK + CROSS) (ROTAVATOR END) 2- INNER LOCK YOKE SET (SHEARING BOLT YOKE + 1.5 INCH SOLID BORE + CROSS) (ROTAVATOR END)	CROSS SIZE 38.05MMX102.4MM BOTH SET FOR SONALIKA
21			1- HALF PTO WITH COVER (TRIANGLE INNER LOCK & SHEARING BOLT TYPE) (ROTAVATOR END SIDE) 2- HALF PTO WITHOUT COVER (TRIANGLE INNER LOCK & SHEARING BOLT TYPE) (ROTAVATOR END SIDE)	CROSS SIZE 38.05MMX102.4MM BOTH HALF PTO FOR SONALIKA
22			1- HALF PTO WITH COVER (BUSH SHAFT INNER LOCK & SHEARING BOLT TYPE) (ROTAVATOR END SIDE) 2- HALF PTO WITH COVER (6 TEETH INNER LOCK YOKE TRIANGULAR) (TRACTOR END)	CROSS SIZE 38.05MMX102.4MM BOTH HALF PTO FOR SONALIKA
23			1- HALF PTO WITH COVER (HALF YOKE OUTER LOCK & 6 TEETH OUTER YOKE TRACTOR END SIDE) 2- HALF PTO WITHOUT COVER (HALF YOKE OUTER LOCK & 6 TEETH OUTER YOKE TRACTOR END SIDE)	CROSS SIZE 38.05MMX102.4MM BOTH HALF PTO FOR SHAKTIMAN
24			1- HALF PTO WITH COVER (TRIANGLE OUTER LOCK & SHEARING BOLT TYPE) (ROTAVATOR END SIDE) 2- HALF PTO WITHOUT COVER (TRIANGLE OUTER LOCK & SHEARING BOLT TYPE) (ROTAVATOR END SIDE)	CROSS SIZE 38.05MMX102.4MM BOTH HALF PTO FOR SHAKTIMAN





PRODUCT LIST



25		1 - HALF PTO (6 TEETH INNER LOCK YOKE BUSH TYPE SONALIKA ROTAVATOR) (TRACTOR END) 2 - INNER SHAFT & BUSH FOR BUSH TYPE PTO ASSY)	HALF PTO CROSS SIZE 38.05MMX102.4MM
			SET OF 2
26		1-INNER SHAFT 11" (FOR BUSH TYPE PTO ASSY) 2-OUTER BUSH 10" (FOR BUSH TYPE PTO ASSY)	MATERIAL GRADE TEMPERED EN-8
27		1 -INNER & OUTER TRIANGULAR TUBE 14" (SET OF 2) 2 -INNER & OUTER TRIANGULAR TUBE 16" (SET OF 2)	PIPE GRADE ST-52/Q345B
28		1 - OUTER TRIANGULAR TUBE BIG HOLE 14" 2 - INNER TRIANGULAR TUBE SMALL HOLE 14"	PIPE GRADE ST-52/Q345B
29		1 - OUTER TRIANGULAR TUBE BIG HOLE 16" 2 - INNER TRIANGULAR TUBE SMALL HOLE 16"	PIPE GRADE ST-52/Q345B
30		PTO ASSY 6 SPLINES (6X6) TRIANGULAR PROFILE 14" WITH COVER & GAURDS OUTER LOCK ALSO AVAILABLE IN (W/O COVER W/O GAURDS)	CROSS SIZE 38.05MMX102.4MM SHAKTIMAN
31		PTO ASSY SHEARING BOLT YOKE TYPE TRIANGULAR PROFILE 14" WITH COVER & GAURDS OUTER LOCK ALSO AVAILABLE IN (W/O COVER W/O GAURDS)	CROSS SIZE 38.05MMX102.4MM SHAKTIMAN
32		PTO ASSY 6 SPLINES (6X6) TRIANGULAR PROFILE 14" WITH COVER & GAURDS INNER LOCK ALSO AVAILABLE IN (W/O COVER W/O GAURDS)	CROSS SIZE 38.05MMX102.4MM SONALIKA

BULAND

3





PRODUCT LIST



33		PTO ASSY SHEARING BOLT YOKE TYPE TRIANGULAR PROFILE WITH COVER & GAURD INNER LOCK ALSO AVAILABLE IN (WITHOUT COVER WITHOUT GAURDS)	CROSS SIZE 38.05MMX102.4MM SONALIKA
34		PTO ASSY 6 SPLINES (6X6) YOKE (ROUND BUSH TYPE) 11" WITH COVER & GAURD INNER LOCK ALSO AVAILABLE IN (WITHOUT COVER WITHOUT GAURDS)	CROSS SIZE 38.05MMX102.4MM SONALIKA
35		PTO ASSY SHEARING BOLT YOKE TYPE (ROUND BUSH TYPE) 11" WITH COVER & GAURD INNER LOCK ALSO AVAILABLE IN (WITHOUT COVER WITHOUT GAURDS)	CROSS SIZE 38.05MMX102.4MM SONALIKA
36		PTO ASSY 6 SPLINES (6X10) TRIANGULAR PROFILE 14" WITH COVER & GAURDS INNER LOCK ALSO AVAILABLE IN (WITHOUT COVER WITHOUT GAURDS)	CROSS SIZE 38.05MMX102.4MM
37		PTO ASSY 6 SPLINES (6X10) TRIANGULAR PROFILE 18" WITH COVER & GAURDS INNER LOCK ALSO AVAILABLE IN (WITHOUT COVER WITHOUT GAURDS)	CROSS SIZE 38.05MMX102.4MM
38		PTO ASSY 6 SPLINES (6X6) 16" (TRIANGULAR PROFILE) WITH COVER & GAURDS INNER LOCK ALSO AVAILABLE IN (WITHOUT COVER WITHOUT GAURDS)	CROSS SIZE 38.05MMX102.4MM SONALIKA
39		PTO ASSY SHEARING BOLT YOKE (TRIANGULAR PROFILE) WITH COVER & GAURD OUTER LOCK ALSO AVAILABLE IN (WITHOUT COVER WITHOUT GAURDS)	CROSS SIZE 30.06MMX81.60MM MINI PTO
40		PTO ASSY 6 SPLINES (6X6) YOKE (TRIANGULAR PROFILE) WITH COVER & GAURD OUTER LOCK ALSO AVAILABLE IN (WITHOUT COVER WITHOUT GAURDS)	CROSS SIZE 30.06MMX81.60MM MINI PTO





PRODUCT LIST



41		1 - PUSH PIN 90MM 2 - PUSH PIN 70MM	GOLDEN & ZINC
42		1 - DOWEL PIN 10X85 2 - DOWEL PIN 8X65	AUTO BLACK
43		1 - GREASE NIPPLE 10X1 45 DEGREE 2 - GREASE NIPPLE 8X1 45 DEGREE	GOLDEN & ZINC
44		1 - GREASE NIPPLE 1/4 UNF STRAIGHT 2 - GREASE NIPPLE 10X1 STRAIGHT	SHEARING YOKE
45		1 - GREASE NIPPLE 6X1MM STRAIGHT 2 - HIGH CARBON 5/16 STEEL BALL	MINI SHEARING YOKE
46		1 - HIGH CARBON 3/16 STEEL BALLS 2 - OUTER UJ CROSS CIRCLIP	SHAKTIMAN
47		1 - INTERNAL UJ CROSS CIRCLIP 2 - OUTER UJ CROSS CIRCLIP	SONALIKA 407 MINI
48		18MM DAMPER ROD SPARES OF DAMPER ROD 18MM DAMPER ROD KATORI SET OF 2PCS NYLOCK NUT, FORGING SPIDER & SPRINGSET OF 2	SONALIKA





PRODUCT LIST



49		16MM DAMPER ROD SPARES OF DAMPER ROD 16MM DAMPER ROD KATORI SET OF 2PCS NYLOCK NUT, FORGING SPIDER & SPRINGSET OF 2	FOR SHAKTIMAN
50		DAMPER ROD SPARES OF DAMPER ROD FIELD KING DAMPER ROD KATORI SET OF 2PCS NYLOCK NUT, FORGING SPIDER & SPRINGSET OF 2	FOR FIELDKING
51		1-DAMPER ROD ASSY 2-DAMPER ROD ASSY	FOR DASHMESH FOR MASCHIO
52		1-DAMPER ROD ASSY 2-DAMPER ROD ASSY	FOR NEWSWAN FOR SONALIKA SMART SERIES
53		SHEARING BOLT WITH NYLOCK NUT AVAILABLE IN ZINC & AUTOBLACK	10MMX65MM
54		SHEARINGBOLT SIZE WITH NYLOCK NUT AVAILABLE IN ZINC & AUTOBLACK	MINI PTO 8MMX65MM
55		BOLT WITH NYLOCK NUT FOR 19NO DAMPER ASSY AVAILABLE IN ZINC & AUTOBLACK	12MMX65MM
56		BOLT WITH NYLOCK NUT FOR NAMASTE PATTI AVAILABLE IN ZINC & AUTOBLACK	12MMX45MM





PRODUCT LIST



57	 	BOLT WITH NYLOCK NUT ROTAVATOR BLADE AVAILABLE IN ZINC & AUTOBLACK	14MMX40MM
58	 	BOLT WITH SPRING WASHER NUT BOLT WITH SPRING WASHER NUT	10MMX25MM 10MMX35MM
59	 	BOLT WITH SPRING WASHER NUT BOLT WITH SPRING WASHER NUT	12MMX35MM 12MMX65MM
60	 	BOLT WITH SPRING WASHER NUT BOLT WITH SPRING WASHER NUT	14MMX40MM 12MMX45MM
61	  	ALL SIZES BOLTS AVAILABLE 6MM 8MM 10MM 12MM 14MM 16MM 18MM 20MM 22MM 25MM	ALL STANDARD SIZES AVAILABLE
62	  	ALL SIZES NYLOCK NUT AVAILABLE 8MM TO 24MM AVAILABLE IN ZINC	ALL STANDARD SIZES AVAILABLE
63	       	ALL SIZES SPRING WASHER 6MM 8MM 10MM 12MM 14MM 16MM 18MM 20MM AVAILABLE IN ZINC	ALL STANDARD SIZES AVAILABLE
64	 	DEPTH SKID DOUBLE PATTI WITH COVER DEPTH SKID DOUBLE PATTI W/O COVER DEPTH SKID DOUBLE LOWER PATTI	FOR SHAKTIMAN SONALIKA

